



CONE BOTTOMS	√=1.9 AVAILABLE	CONE BOTTOM - 15, 30 & 60 degree	Outlet Spec	Degree Cone or Total Drain	Diameter	Height	F.O.B
H15601--		70 GALLON	J	60	32	36	C
H15604--		225 GALLON W/POLY STAND	O-2"	30	48	55 IN STAND	L,C
H15605--		325 GALLON W/POLY STAND	O-2"	30	48	66 IN STAND	L,C
H15603--		475 GALLON	J	30	60	51	C
189--	√	1000 GALLON	O	30	86	62 3/4	L,C
831--	√	1250 GALLON	O	30	95	69 3/4	M
190--	√	1400 GALLON	O	30	86	79 3/4	L,C
833--	√	1600 GALLON	O	30	95	80	M
191--	√	1775 GALLON	O	30	86	96	L,C
5070--	√	2000 GALLON	O	30	90	102	L
5110--	√	2500 GALLON	O	30	90	121 1/2	L,C
835--	√	2600 GALLON	O	30	95	114	M
5150--	√	3000 GALLON	O	30	90	143 3/4	L,C
836--	√	3000 GALLON	O	30	95	132 1/2	M
746--	√	3000 GALLON	O	15	90	131	L
7040--	√	5500 GALLON	O	30	90	240 3/4	L
5280--	√	6900 GALLON	O	30	142	135	L
7180--	√	6500 GALLON	O	30	90	273	L
5320--	√	8250 GALLON	O	30	142	156	L
5340--	√	11,850 GALLON	O	30	142	214	L

Tanks Available with Poly Stands							
189--		1000 GALLON with POLY STAND	O	30	86	77 1/4	L,C
190--		1400 GALLON with POLY STAND	O	30	86	89 3/4	L,C
191--		1775 GALLON with POLY STAND	O	30	86	104 1/2	L,C
1003--		POLY STAND FOR ABOVE	N/A				

[top](#)

CONE BOTTOM 45 degree	√=1.9 S.G. Available						<u>F.O.B</u>
619--		500 GALLON 1.9 S.G.	O	45	64	63	L
5000--		1000 GALLON 1.9 S.G.	O	45	64	102 1/2	L
5010--		1500 GALLON 1.9 S.G.	O	45	64	141	L
5100--	√	2850 GALLON 1.5 S.G.	O	45	90	139	L
5180--	√	4350 GALLON 1.5 S.G.	O	45	90	197 1/4	L

MIX TANKS						<u>F.O.B</u>
185--	17 MIX TANK		K	18 1/2	23 1/2	L,C
158--	35 MIX TANK		M	30 1/4	29 1/2	L,C
156--	65 MIX TANK		M	30 1/4	37	L,C
607--	110 MIX		M	30 1/4	52	L

MIX TANK STANDS	Description
48400	17 GALLON MIX TANK STAND
48600	35, 65, 110 GALLON MIX TANK STANDS

CONE STANDS - 30 & 60 DEGREE FOB "C" TANKS	Description
C5070P	70 GALLON BASKET & STAND
C5475P	475 GALLON BASKET & STAND
C507KP	7000 GALLON BASKET & STAND

CONE STANDS 30 DEGREE	Description
79000	86" 4 LEG STAND FOR 500,1000,1400,1650 CONE TANKS
79100	90" 45 TON GROSS WEIGHT CAPACITY (8 LEG)
904001201	95" STANDS FOR 1250,1600,2600,3000 CONE TANKS (3" CLEARANCE - 8 LEG)
904001202	95" STANDS FOR 1250,1600,2600,3000 CONE TANKS (12" CLEARANCE - 8 LEG)
79500	142" 100 TON GROSS WEIGHT CAPACITY (12 LEG)

CONE STANDS 45 DEGREE	Description
78800	64" 4 LEG STAND FOR 500,1000,1500 CONE TANKS
79200	90" 45 TON GROSS WEIGHT CAPACITY (8 LEG)

GROSS WEIGHT CAPACITY = STAND WEIGHT + TANK WEIGHT+ MAX TANK WEIGHT CAPACITY = GALLONAGE X 8.334XSPECIFIC GRAVITY OF TANK 1 TON - 2000 LBS.	
---	--

[top](#)

OUTLET SPECIFICATIONS	
J = 10" or 16" Manway, one 3" bolted outlet	M = 10" Lid, one 3/4" outlet and either one 1 1/2" or one 2 1/2" molded in hose barb (optional 3/4"-1 1/2" fitting)
K = 8" Lid, 1 1/4" outlet w/anti-vortex	O = 18" Manway, one 3" bolted outlet

F.O.B: L = Lincoln, Nebraska; M = Marked Tree, Arkansas; P = Philippi, West Virginia; C = Chowchilla, California